

**WOODBURY COUNTY BOARD OF SUPERVISORS AGENDA ITEM(S) RE**

#9a

Date: September 16, 2015

Weekly Agenda Date: September 22, 2015

ELECTED OFFICIAL / DEPARTMENT HEAD / CITIZEN: Kenny Schmitz; Building Services

SUBJECT: Tri-view, Social Services/ VA Parking Lot

**ACTION REQUIRED:**

Approve Ordinance

Approve Resolution

Approve Motion

Give Direction

Other: Informational

Attachments

**WORDING FOR AGENDA ITEM:** Parking Lot Drain Repair

**EXECUTIVE SUMMARY:** A main sewer water surface drain has sunk below ground level

**BACKGROUND:** Liability that requires repair. This drain removes surface water from parking areas of both the Woodbury County & Mini-Mart .

**FINANCIAL IMPACT:** Low Bid \$3,510.00. It is unknown if this should be a shared cost.

**RECOMMENDATION:** Since this could be a liability & limits parking in a least one space repairs should be made as soon as possible.

**ACTION REQUIRED / PROPOSED MOTION:** Motion to approve low bid (Tri-State Plumbing)

Strawn Construction Services Inc.  
 PO Box 2402  
 Sioux City, IA 51106  
 Phone 712-259-4793  
 Fax 712-276-7571  
 Email: TerryTmctm@aol.com

Date 9/4/2015  
 Estimate # 148

**Name / Address**

WOODBURY COUNTY - COMMISSION OF  
 VETS  
 MIKE HEADID  
 620 DOUGLAS STREET  
 ROOM B7 COURT HOUSE  
 SIOUX CITY, IOWA 51101

P.O. #  
 Terms

Due Date 9/4/2015  
 Other

Description	Qty	Rate	Total
PRICE TO REMOVE AND REPLACE 6 INCH THICK PAVING IN CONFIGURATION AS VISITED WITH MIKE AT COMMISSIONS OF VETERAN AFFAIRS. CATCH BASIN FRAME AND Cover WILL BE ADJUSTED TO PROPER ELEVATION. DOWELS WILL BE INSTALLED INTO EXISTING PAVING EVERY 2 FEET. 4000 PSI CONCRETE WILL BE USED.		2,958.00	2,958.00
OPTION TO REPLACE FRAME AND COVER IF NEEDED		800.00	800.00
Sales Tax		2.00%	0.00
<b>Total</b>			<b>\$3,758.00</b>

**Strawn Construction Services Inc.**  
 TerryTmctm@aol.com

Phone: 712-259-4793  
 Fax: 712-276-7571

# Tri-State

PLUMBING

102 W. 3<sup>rd</sup> St.  
Sioux City, IA 51103

Ph 712- 255- 7360  
Fax 712- 233- 6047

9/10/15


Woodbury County  
Veterans Affairs  
Attn: Mike  
Ph: 251-8102  
Fax: 279-6532

Re: Proposal for storm drain repair

Proposal to remove concrete around catch basin in parking, reset existing catch basin and lid to proper grade, tie into existing storm sewer and repour concrete around excavation site as per discussed with Mike Headid.

TOTAL - \$2,580

Thank you,

  
Mark Elgert  
Owner

\* If Catch Basin is unusable ~~and~~  
And would require new catch basin  
~~and~~ A additional cost of \$930<sup>00</sup>  
would be added to project