Approved 1/19/99

Woodbury Con	inty Permit No.
--------------	-----------------

## PERMIT FOR USE OF COUNTY ROAD/HIGHWAY RIGHT-OF-WAY FOR OVERHEAD AND/OR BURIED UTILITIES ACCOMMODATION

The Control of the Co	
Name Telcom Construction	Highway
	Township
Address 2218 200th st e Clearwater Mn	City ofCorrectionville
Office Phone 320 558 9485 Local Phone 602 478 0451	Section: ¼ of ¼ Sec
Type of Utility Installation 3 pair copper drop wire	_ T N, R W
Plans Prepared By century link	Copy Enclosed × Yes No
Map Showing Location Enclosed X Yes No	
Utility Location is cross right-of-way	parallel to right-of-way
overhead	x underground
Proposed Method of Installation	
dboretunnel suspend on poles	cased
jack & bore suspend on towers	trench
open cut plow	
-	
Estimated Starting Date 11/25/15 Estimated Resto	pration Date 12/20/15
and made a part thereof. Applicant is to complete in triplicate and send all copie Engineer, 759 L. Frontage Road, Moville, IA 51039. One executed copy will be read to be a second copy will be read	
PERMIT APPROVAL BY PERMITTING AUTHORITY	
The forgoing application is hereby approved and permit issued by the Permitting	Authority subject to full compliance by the
Applicant with all provisions and conditions stated herein and on the reverse side	hereof and all attachments hereto.
By Maile Marien Title	
(Signature of Woodbury County Board Chairman)	
Date	
By Mosh J. Molen.  (Signature of Woodbury County Engineer)  Title	County Engineer
Date	11/24/2015
Other Special Provisions:	
	D1

Permit Provisions and Conditions of Issuance

REQUEST BY APPLICANT:

The County and/or the County Board of Supervisors will not be charged with any responsibility for damages to the Applicant's property occasioned by any construction or maintenance operations on said county roads, including new or additional right-of-way acquired in connection therewith, subsequent to the building of the Applicant's facilities. The Board will endeavor to give the Applicant fufficient notice of any proposed construction or maintenance work, on either existing or newly acquired right-of-way that is likely to expose, cover up, or disturb any facilities belonging to the Applicant, in order that the Applicant may arrange to protect the facilities. The Board will inform contractors, and others working on the job of the location of the facilities so that reasonable care may be taken to avoid damaging the facilities, however the County and the Board of Supervisors will assume no responsibility for failure to give such notice.

- 2. The Applicant shall take all reasonable precaution during the construction of said facilities to protect and safeguard the lives and property of the adjacent property owners and the traveling public and shall save the County and the Board of Supervisors harmless of any damages or losses that may be sustained by adjacent property owners and the traveling public on account of such construction operations.
- 3. Operations in the construction and maintenance of said facilities shall be carried on in such a way as to not interfere with, or interrupt traffic on said roads. However, should the performance of work called for in this permit in any way interfere with or obstruct traffic on said roads, the Applicant shall provide the necessary flagmen as required by the Statutes when one-way traffic is involved and/or otherwise mark said work so as to protect the traveling public.
- 4. The Applicant shall hold the County and the Board of Supervisors harmless from any damages that may result to said highway because of the construction or maintenance of said facilities and shall reimburse the County or the Board of Supervisors for any expenditures that the County or the Board of Supervisors may have to make on said roads on account of replacement of surfacing gravel and bridge and culvert repairs.
- Applicant shall lay, construct, operate and maintain said facilities so as not to interfere with natural drainage of the road and so as not to interfere with the construction or maintenance of said roads. When buried cable or wire lines are to be placed lengthwise with the roadway, they shall be placed in the County road shoulder or ditch near the toe of the fore-slope and parallel to centerline of roadbed at a depth of three (3) to four (4) feet by using specially designed plows or by trenching, whichever is appropriate. Plow slots and trenches shall be repacked as necessary to restore the disturbed area to its original condition. For buried line crossings of roadways not paved, an open trench may be dug and the lines placed therein, and the trench back-filled over the lines. Buried line crossings on paved roadways, lines may be placed through the sub-grade by jacking, or by boring a hole just large enough to take the lines; or if the County Engineer approves, a tunnel may be dug through and the cable or wire lines placed therein. All backfill of tunnels and trenches shall be thoroughly compacted in layers of 6" or less in depth. Back-filling of trenches within the right-of-way by not under the traveled roadway shall be tamped sufficiently to avoid settlement. When crossing an existing roadway, all buried facilities shall be placed a minimum of three (3) to four (4) below the bottom of the existing adjacent ditches. Overhead lines, where practical, shall be placed adjacent to and with two (2) feet of the Road/Highway Right-of-Way Line.
- 6. The Applicant will at any time subsequent to placing the facilities, and at the Applicant's expense, relay, replace, alter, change, reconstruct, or relocate its overhead and/or buried facilities and appurtenances thereto as may become necessary to conform to new grades, alignment, or widening right-of-way, resulting from maintenance or construction operations by the County Board of Supervisors irrespective of whether or not additional right-of-way is acquired in connection with such road improvements. The Applicant agrees to do this within ninety (90) days written notice from the Board of Supervisors, and without cost to the County. If the Applicant is unable to comply within said ninety (90) days, the Board of Supervisors may cause the work to be done and the Applicant will pay the cost thereof upon receipt of statement.
- 7. All work shall be done in a workmanlike manner; the surrounding ground, slopes, and ditch bottoms shall be reshaped to conform to the area and left in a neat condition satisfactory to the County Engineer. All areas where sod has been damaged or destroyed shall be reseeded.
- The Applicant shall notify the County Board of Supervisors at least forty-eight (48) hours in advance of the Applicant's intention of starting work covered by this permit on the road right-of-way. Said notice shall be in writing to the County Engineer.
- 9. Applicant, its' successors, grantees and assigns shall and hereby agrees to assume all responsibility, risks and liabilities for all accidents and damages that may occur to persons and/or property on account of the work done under this permit, and to this end, indemnify and hold the County and all authorized representatives thereof harmless from any and all claims, damages, losses, and expense including judgements, costs and including attorney's fees, for personal injuries (including death) or property damage arising or resulting from the activities of the Applicant in connection herewith, now and at all times in the future.
- 10. It is understood that this permit is issued only insofar as Woodbury County has jurisdiction and does not presume to release the Applicant from fulfilling any existing statutes relating to the installation, construction and operation of said facilities.
- 11. It is further understood that the facilities covered by this permit shall be constructed or installed within one (1) year after the date of approval of this permit, unless otherwise extended in writing by Woodbury County.
- 12. Engagement in the operations as herein applied for by the Applicant shall be considered and constitute an acceptance of all the terms and conditions herein set forth.

MARK NAHRA 7/2-279-6484 x 206

NO CHALGO

15252155 OOS PERMIT

Installation / Repair / Preprovisioning (Phase Submitted: 11/0/15  Installation / Repair / Preprovisioning (Phase Succides of the Above) Job ID 0/13 73 70 TN 712-372-452 2 TN 712-372-452 2 TN 845-372-452 2 TN 846- casenot toolab ENCAP Sodd Green		BSW SKETCH FORM		
Installated on / Repair / Preprovisioning (chase occidents of the Anima) John DO 17 3 7 30 TN 712-372-452 TN 712-372-452 TN 712-372-452 TN 846 - Casinot locate ENCAP 3 NOG- Can not lay temp A Maid for FI-72 also need 85W 6. Tamp Placed - (Need Stocks Below) 8. Found Tamp - Searie Joh - Other Location - Other Lo	NPA / N NX (Wire Center):	712-237  Date Submitted: 11	110/15	
Cheek Collection of the Anomy   Job ID 0   3 7 30     The Time of Ti	Installation / Repair / Pres		•	•
Th   712-371-450	(Please Circle One of the Above)			all year
Phone: P12-372-4502 CBR: 712-999-6596  Subdivision: Lot Block:  County Section Range Township  Custim Burdon (Circle one) MV - NE - SW - SE  Submitted By Name: Cb Nose (Section Section)  Found Text Description  Comparison: Served Reserve Job  Comparison: Text Intel Address: T32-27-74512  Page: 712-25-3-812  Submitted By Name: Reserve Job  Comparison: Text Intel Address: T33-190-15-57  Total BRW Footage: T355-77-77-757  Total BRW Footage: T355-77-77-757-757-757-757-757-757-757-75			DIFECUR	in Ville
2. Held - carn not lay temp 2. Ood - Carn not lay temp 3. Ood - Carn not la		0 d   1011 Address; 1323	- Tan 11	-01
County Section Range Township  Index Section	1. Held For ISW	=	797-63	76
Held for PI-P2, also need 83W   Submitted By   Submitted By   Name: Rob   Nose( EC: 68% PgrCell: 712-257-812)   Name: Rob   Nose( EC: 68% PgrCell: 712-257-812)   Name: Rob   Nose( EC: 68% PgrCell: 712-257-812)   Supervisor: Grandon Rosers   Name: Rob   Nose( EC: 68% PgrCell: 712-257-812)   Supervisor: Grandon Rosers   Name: Rob   Nose( EC: 68% PgrCell: 712-257-812)   Name: Rob   Na	L Held - Garnot locate ENCAP.			-
Held for PI-F2, also need 83W Temp Placed - (Need Stock) Below)   Name: Ref. Mose C Ec; 68% Pgr/Cell: 712-253-812    Submitted By   Name: Ref. Mose C Ec; 68% Pgr/Cell: 712-253-812    Submitted By   Name: Ref. Mose C Ec; 68% Pgr/Cell: 712-253-812    Other Location	. 008 - Gen not lay temp		mehlp	
Add Line   Customer was contacted:	Tamp Placed - (Need Sketch B Found Tamp - Same Job	Submitted By  Name: Rob Moses EC: 686 Paricell: 712  Supervisor: Brandon Rosess		
And the same is a content to Cut on term to Cut out the work of Statewark of Statew			A PARTY OF THE PAR	The state of
Total BSW Footage: 255 ft Type of Wire: 3 (30r/8pr)  INFO: L S S S S S S S S S S S S S S S S S S		11400 14-11-0		· .
ANFO: L S S 3 S G 3 S U C  LE FAS NERW 128469T W.R.P.O.C GAMN 3/6 S.N PN C  Indicate North  The of assw in ROW 245  A SS FH  The of assw in ROW 245  A SS W from Curb  Corn term to CA  COL to Curb  COL			3 /2	or/Bor)
The same in the same is a second of the same is a seco	oss Street	Total Bavy Pockage: 777 FT Type of Visc.		, , ,
Indicate North  Thew drop  Indicate North  The of BSW in ROW 245  If BSW from Curb  In the BSW from Curb  In t	INFO: L 5	S 3 5 6 3 5 0	PH C	
Indicate North  Thew drop  Indicate North  Prive  A \$5 ft  Prive  Indicate North  Indicate Nor			. 7	
Indicate North  Thew drop  Indicate North  The of BSW in ROW 245  If BSW from Curb  In the BSW from Curb  In t			1	.
Indicate North  Drive  Drive  Drive  Drive  190 th  190 th  The work of the second of		COT	W-	-EI
not assw in ROW 245  not assw from Curb  orn term to Crose St  Cot to Curb  orn Curb to Sidewalk  of Driveway  of Sidewalk  HWY Mile Markerie			:1	]
not assw in Row 245  not assw from Curb  on term to Crose St  Coft to Curb  on Curb to Sidewalk  of Driveway  of Sidewalk  E HWY Mile Markeris		House /	Indicas	North
not BSW in ROW 245  188W from Curb  188W from to Cross St  19CAL to Curb  19 Colle to Siderwalk  10 Colle to Siderwalk				1
not BSW in ROW 245  # BSW from Curb  Tom term to Cross St  PCAL to Curb  of Driveney  of Sidewalk  F HWY Mile Markerif		4 H 4		
new drop  190 th  190 th  188W from Curb  In of 88W from Curb  In of 88W from Curb  In of Both to C/L  In or term to C/L  In or				. [
not BSW in ROW 245  # BSW from Curb  Tom term to Cross St  PCAL to Curb  of Driveney  of Sidewalk  F HWY Mile Markerif		Dite		
n of 85W in ROW 245 # 85W from Curb corn term to C/L corn term to Cross St / C/L to Curb on Curb to Sidewelk  of Orhewsy of Sidewelk  E HWY Wile Marker#				
in of BSW in ROW 245  # BSW from Curb  com teem to C/L  com term to Cross St  / C/L to Curb  com Curb to Sidewellk  of Driveway  of Sidewellk  E HWY Mile Markor#		1. 4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		. 1
In of assw in ROW 245  # BSW from Curb  orn term to Cross St  CAL to Curb  orn Curb to Sidawelk  of Drivewely  of Sidewelk  E HWY Wile Markor#		new drop		
n of 85W in ROW 245  # BSW from Curb  om term to Cross St  C/L to Curb  om Curb to Skiswalk of Drivewsy of Skiswalk  HVVY Mile Marker#	• +			
in of BSW from Curb  if BSW from Curb  om term to Cross St  CAL to Curb  om Curb to Skidswellk  of Drivewely  of Skidswelk  E HWY Mile Markor#		170 Th	<u> </u>	
in of BSW from Curb  if BSW from Curb  com term to Cross St  CAL to Curb  com Curb to Skidswellk  of Drivewely  of Skidswelk  E HWY Mile Markor#				. 1
# 8SW from Curb  From teem to Cross St  # CAL to Curb  From Curb to Sidswellk  of Driveway  of Sidewelk  E HWY Wile Marker#				
om term to Cross St  f C/L to Curb  om Curb to Sidswelk  of Driveway  of Sidswelk  E HWY Wile Marker#	s 8SW from Curb			
C/L to Curb  om Curb to Sidewelk  of Drivewey  of Sidewelk  E HWY Wile Marker#	norm team to C/L			
of Driveway  of Sidewalk  E HWY Mile Markor#	CAL to Curb			
of Sidewalk E HVVY Male Marker#				
E HVVY Mile Mericer#		.h		
Parmit Required   Hand Dig   (Note: Hard Dig 121)	E HWY Mile Marker#	-3		
OHAN I I PRIMIT REGULEOU F I HERE DIE MONTO VILLE	Push []	Permit Required Hand Dig (Note: Hand Dig	dust be 12")	